



# TRANSPORT POVERTY DASHBOARD – GUIDE

## Transport Poverty Spatial Accessibility Indicators Measuring Access to Opportunities and Essential Services

The spatial **Accessibility indicators** we provide in the dashboard are a first step to identify and quantify areas where people may experience transport poverty and face the risk of social exclusion. By using multimodal public transport and high-resolution road networks, we assess the **Availability dimension** of transport poverty and compare access to essential services and opportunities across regions via walking, cycling, driving, or public transport.

Our mission aligns with the EU's just transition goal of ensuring that no one is left behind, as exemplified by the proposed Social Climate Fund and the **Commission recommendations on transport poverty**.

Within the Transport Poverty Hub, you can interactively explore results from country level down to local level. These insights are designed to support analyses of decision-makers and researchers engaged in social climate planning. This Guide offers in-depth explanations of our data sources and analytical approaches, highlighting data limitations and providing help on how to use the Dashboard.

## Index

Reading the Dashboard.....	2
Origins and Destinations.....	3
Transport Modes .....	5
Data Aggregation.....	8
Sufficiency Thresholds .....	8
Methodology and Accessibility Indicators.....	8
Support.....	10

## READING THE DASHBOARD

The map can display three different types of transport accessibility indicators for five destination categories using four modes of transport, including walking, cycling, driving and public transport. Grey areas indicate data availability issues either on destinations or on public transport networks. Results are produced at a “1km<sup>2</sup> Grid” level, but are also available aggregated at NUTS and LAU administrative layers for all European countries. By default, the map shows access to opportunities (people) via public transport at NUTS 2 resolution for all Europe. Users can change the focus country, resolution, transport mode, destination, and other parameters using the filter selectors in the left-hand panel.

## CREATING MAPS WITH THE FILTER SELECTOR

The filter selector in the left-hand panel allows you to choose which map layer is displayed in the map window. Filter options may depend on other filters but can be edited independently. Follow these steps to create your map:

**Step 1** Select the country and resolution. Begin by selecting the country you want to focus on. Then, choose the desired resolution from the available options: NUTS 0 / Country, NUTS 1, NUTS 2, NUTS 3, LAU, 1km<sup>2</sup> Grid.

**Step 2** Select a transport mode among walking, cycling, public transport with short walks (7:30 a.m. – 10:00 a.m.) and driving (with congestion in the 7:00 a.m. – 9:00 a.m. time window).

**Step 3** Select a destination. The categories include opportunities (with resident population used as proxy), primary school facilities, primary school enrolled students (as a measure of school capacity), healthcare facilities, healthcare beds (as a measure of healthcare capacity).

**Step 4** Select the accessibility indicator of interest. Metrics are divided into three main categories: (i) number of reachable services, seats, or people within fixed travel time thresholds; (ii) travel time to the nearest facilities, seats, or people; (iii) squared accessibility poverty gap and FGT<sub>2</sub> indicators, which count individuals falling below a predefined sufficiency threshold of accessibility, weighted by the extent of their accessibility deficit when travelling for 40-50 minutes with the selected mode of transport.

**Step 4** For administrative layer aggregations, choose the statistical aggregation method for your results. You can select from average, median, top 20th percentile, or bottom 20th percentile to suit your specific data analysis objectives.

When navigating the map, you can highlight specific areas by clicking on them to display exact indicator values, along with the region name if it is an aggregated administrative area. 1km<sup>2</sup> Grid results are currently not available for the “All (Europe)” geographical scope.

If present in the text box below the Filter Selectors, a sufficiency threshold has been used to either colour results (also noted in the indicator legend) or calculate the indicator. These thresholds are calculated as the median population-weighted number of destinations reached within a travel time of 10-20 minutes by driving, at either country or European level. The unit of measurement for the threshold corresponds to the ‘Type of Destination’ option selected.

## ORIGINS AND DESTINATIONS

Spatial accessibility indicators are computed using the centroids of [GISCO 2021 \(16 June 2024 release\)](#) 1km<sup>2</sup> populated grid cells, which represent where people live, as origin points. For countries where resident population data was not available, such as the United Kingdom, Iceland, Albania, Bosnia-Herzegovina, Kosovo<sup>1</sup>, Montenegro, North Macedonia, and Serbia, we complemented the dataset with [GISCO 2018 data](#) at the same geographical resolution. This high level of granularity allows for a detailed spatial pattern analysis, helping identify local and regional instances of poor transport accessibility that may be overlooked at broader geographical scales.

Spatial accessibility indicators are available for access to the following destination categories:

- Resident population, as proxy for opportunities
- Primary schools
  - o primary school facilities (including both public and private schools)
  - o primary school enrolled students, as a measure of school capacity
- Healthcare services
  - o healthcare facilities (including hospitals and other healthcare facilities)
  - o healthcare beds, as a measure of healthcare capacity

The population data at 1km<sup>2</sup> resolution, used to identify destination points, matches the data used for origin points. However, for Moldova, Turkey, and Ukraine, countries not included in the platform and for which GISCO data is not available, we use [WorldPop 2020 data](#) to represent resident population as possible destination points. These additional datasets are applied to the measure of walking, cycling and driving access to opportunities indicators. Due to data availability and comparability of results across countries, for the public transport results we currently restrict opportunities to destinations within national borders.

Geolocation and attributes of primary schools and healthcare services are retrieved from Eurostat GISCO. In the dashboard, we use the data for the year 2023 (2024 release), but estimates are also available for 2020. Although this information is extracted from official national registers, it may contain inaccuracies and gaps due to the heterogeneity of the input data. For further details on the primary school and healthcare destination datasets, please refer to [GISCO basic services](#).

While measuring access to opportunities is consistently feasible, contingent on network data availability, due to the existence of pan-European resident population data, measuring access to services may encounter data availability limitations. The table below illustrates the data availability (and data gaps) by country for measuring access to the four service destination categories you can find in the dashboard:

---

<sup>1</sup> This designation is without prejudice to positions on status, and is in line with UNSCR 1244/1999 and the ICJ Opinion on the Kosovo declaration of independence.

**Table 1** – Geographical coverage of [Eurostat GISCO 2023 basic services](#).

	Eurostat GISCO 2023			
COUNTRY	Primary School Facilities	Primary School Enrolled Students	Healthcare Facilities	Healthcare Beds
ALBANIA	No	No	Yes	No
AUSTRIA	Yes	Yes	Yes	Yes
BELGIUM	Yes	No	Yes	Yes
BOSNIA-HERZEGOVINA	No	No	No	No
BULGARIA	Yes	No	Yes	Yes
CROATIA	Yes	No	Yes	No
CYPRUS	Yes	No	Yes	No
CZECHIA	Yes	No	Yes	No
DENMARK	Yes	No	Yes	No
ESTONIA	Yes	No	Yes	No
FINLAND	Yes	No	Yes	No
FRANCE	Yes	No	Yes	No
GERMANY	Yes	Yes	Yes	Yes
GREECE	Yes	No	Yes	No
HUNGARY	Yes	No	Yes	No
ICELAND	No	No	No	No
IRELAND	Yes	Yes	Yes	No
ITALY	Yes (excluding Valle d'Aosta and Trentino Alto Adige)	No	Yes	Yes
KOSOVO	No	No	No	No
LATVIA	Yes	Yes	Yes	Yes
LIECHTENSTEIN	No	No	No	No
LITHUANIA	Yes	No	Yes	Yes
LUXEMBOURG	Yes	No	Yes	No
MALTA	No	No	Yes	No
MONTENEGRO	No	No	Yes	No
NETHERLANDS	Yes	No	Yes	No
NORTH MACEDONIA	No	No	No	No
NORWAY	Yes	No	Yes	No
POLAND	Yes	No	Yes	No
PORTUGAL	Yes (excluding Madeira and Açores)	No	Yes (excluding Madeira and Açores)	No
ROMANIA	Yes	No	Yes	Yes
SERBIA	No	No	Yes	Yes
SLOVAKIA	Yes	No	Yes	No
SLOVENIA	Yes	No	Yes	No
SPAIN	Yes (excluding Cataluña)	No	Yes (excluding La Palma)	Yes
SWEDEN	Yes	No	Yes	No
SWITZERLAND	No	No	Yes	No
UNITED KINGDOM	No	No	No	No

## TRANSPORT MODES

The accessibility results are based on detailed multimodal public transport and road networks. The available transport mode options in the dashboard include public transport, driving, walking, and cycling.

### - PUBLIC TRANSPORT NETWORKS

To build the public transport networks we need for our models, we use relevant static timetable data from the [National Access Points \(NAPs\)](#). Established in 2013 as part of the Intelligent Transport Systems (ITS) Directive, NAPs serve as institutional one-stop open platforms that should contain data on parking, road network conditions, public transport schedules, real-time data, and fares. The main aspects for the public transport parts of the NAPs are regulated according to the [Multimodal Travel Information Services \(MMTIS\) regulation](#). According to the ITS Directive (2010/40/EU), MMTIS are "services providing information about, and interaction with, multimodal travel information services, both passenger and freight". Despite significant progress, not all Member States have fully integrated this information into their platforms yet.

The timetable reference dates and public transport services are selected to represent a typical weekday morning service provision relevant for the destination type. This selection also depends on the extraction date of the static schedule datasets, while the morning time window we use for the accessibility indicators is from 7:30 a.m. to 10:00 a.m. The data is formatted in either GTFS (General Transit Feed Specification) or NeTEx (Network Timetable Exchange), with GTFS being widely used for its simplicity and ease of integration, while NeTEx provides a more detailed and standardized approach. The morning time window is 7:30 a.m. – 10:00 a.m.

We use short geodesic walks at 5 km/h to connect the origins and destinations to the public transport network and for transfers between transport services. We set upper bounds of 2 km for initial connections and 1 km for the transfers. Access to school and access to students' results may include school buses if the services are included in the NAPs' datasets. This is currently only the case for France and Norway, while Finland data also include some regional school bus data we included.

The table below shows the geographical coverage limitations and other relevant information for the multimodal public transport networks we use in the analyses.

**Table 2** – Public transport networks’ geographical coverage and modelling details.

COUNTRY	Public Transport Network Data			
	National Coverage (and format used)	Timetable Reference Date	School buses	Known limitations in the included datasets (if any)
ALBANIA	No	-	No	Missing data
AUSTRIA	Yes (GTFS)	Thu, 06-03-2025	No	-
BELGIUM	Yes (GTFS)	Thu, 16-05-2024	No	-
BOSNIA-HERZEGOVINA	No	-	No	Missing data
BULGARIA	No	-	No	Missing data
CROATIA	No	-	No	Some regional data available – not processed/included yet
CYPRUS	Yes (GTFS)	Thu, 02-11-2023	No	-
CZECHIA	No	-	No	NeTEx data available – not processed/included yet
DENMARK	Yes (GTFS)	Thu, 20-03-2025	No	-
ESTONIA	Yes (GTFS)	Wed, 15-01-2025	No	-
FINLAND	Yes (GTFS)	Thu, 13-03-2025	limited	-
FRANCE	Yes (GTFS)	Thu, 23-11-2023	Yes	-
GERMANY	Yes (GTFS)	Wed, 08-05-2024	No	-
GREECE	No	-	No	Missing data
HUNGARY	Yes (GTFS)	Thu, 13-02-2025	No	Data from some operators might be missing (we have about 80% coverage)
ICELAND	Yes (GTFS)	Wed, 11-10-2023	No	-
IRELAND	Yes (GTFS)	Thu, 16-05-2024	No	-
ITALY	Yes (NeTEx) – with regional limitations	Thu, 06-02-2025	No	<b>Missing regions:</b> Basilicata, Molise, Sicilia, Umbria, Valle d’Aosta; <b>Additional missing provinces:</b> Padova, Rovigo, Treviso, Vicenza
KOSOVO	No	-	No	Missing data
LATVIA	Yes (GTFS)	Wed, 15-01-2025	No	-
LIECHTENSTEIN	No	-	No	Missing data
LITHUANIA	Yes (GTFS) – with network limitations	Wed, 15-01-2025	No	Missing rail services
LUXEMBOURG	Yes (GTFS)	Thu, 16-05-2024	No	-
MALTA	No	-	No	Missing data
MONTENEGRO	No	-	No	Missing data
NETHERLANDS	Yes (GTFS)	Thu, 16-05-2024	No	-
NORTH MACEDONIA	No	-	No	-
NORWAY	Yes (GTFS)	Thu, 09-11-2023	Yes	-
POLAND	No	-	No	Some regional data available – not processed/included yet
PORTUGAL	Yes (GTFS) – with regional limitations	Thu, 16-03-2023	No	<b>Missing regions:</b> Alentejo, Açores, Centro Portugal, Madeira, Norte Portugal, Oeste e Vale do Tejo.
ROMANIA	No	-	No	Missing data
SERBIA	No	-	No	Missing data
SLOVAKIA	No	-	No	Missing data
SLOVENIA	Yes (GTFS)	Thu, 09-11-2023	No	-
SPAIN	Yes (GTFS) – with <a href="#">regional limitations</a>	Wed, 29-01-2025	No	<b>Missing regions:</b> Albacete, Cuenca, El Hierro, Gran Canaria, La Gomera, La Palma, Lanzarote, La Rioja, Zamora <b>Additional missing provinces:</b> Badajoz, Ceuta, La Costa del Sol, Lorca, Melilla, Ponferrada, Sanlúcar de Barrameda, Utrera
SWEDEN	Yes (GTFS)	Thu, 16-11-2023	No	-
SWITZERLAND	Yes (GTFS)	Thu, 14-11-2024	No	-
UNITED KINGDOM	Yes (GTFS)	Thu, 09-11-2023 (UK, GB) Thu, 16-05-2024 (UK, NI)	No	-




Figure 1 – Public transport networks’ geographical coverage map (NUTS 3 detail).

## - ROAD NETWORKS

The road network includes all roads from TomTom MultiNet 2023, a comprehensive commercial dataset detailing segments from main highways to local and pedestrian roads, covering the entire European territory. We extract three different configurations to develop the walking, cycling, and driving networks, removing network components with fewer than 1,000 nodes to ensure connectivity.

To connect origins and destinations to the network, we use the closest five junctions within a 4 km radius, linking them at fixed cruising speeds of 15 km/h for driving, 7.5 km/h for cycling, and 2.5 km/h for walking.

For driving, all road categories are included, except those closed to traffic. Driving speeds are adjusted according to traffic conditions on a typical weekday morning from 7:00 a.m. to 9:00 a.m., sourced from the information available on TomTom MultiNet.

For cycling and walking, non-cyclable and non-walkable roads are filtered out while ensuring network connectivity. We also incorporate cyclable and walkable roads closed to car traffic, such as cycle lanes and stairs. The effects of topography on cycling and walking speeds are considered, using data from the [Copernicus EEA-10 Digital Elevation Model dataset](#). This dataset offers detailed elevation information at a 10-meter resolution, which impacts travel speeds and hence accessibility for these transport modes.

## DATA AGGREGATION

When aggregating the 1km<sup>2</sup> Grid data, in addition to country-level aggregation, we use the Territorial Units for Statistics ([NUTS](#) 2024) and the Local Administrative Units ([LAU](#) 2023), both provided by Eurostat GISCO. For more information on geographical extent and administrative meaning of NUTS 1, NUTS 2, NUTS 3 and LAU—which vary by country and have evolved over time—please refer to the [Eurostat dedicated page](#).

For these layers of aggregation, we produce indicators by analysing the distribution of the 1km<sup>2</sup> results through population-weighted percentiles: the bottom 20<sup>th</sup> percentile, the median, and top 20<sup>th</sup> percentile. Additionally, we also display the population-weighted average. The bottom 20<sup>th</sup> percentile represents the segment of the population that is worse off, while the top 20<sup>th</sup> percentile represents those who are better off within the selected geographical scope.

## SUFFICIENCY THRESHOLDS

The definition of sufficiency thresholds serves as a reference point for assessing transport poverty and should originate from political debate. The thresholds in the Dashboard are calculated as the median population-weighted destinations reached within a travel time of 10-20 minutes by driving (with morning traffic congestion conditions) at country level. European-level thresholds are used for “All (Europe)” geographical scope option results and for the “European-squared accessibility poverty gap” indicators. The unit of measure for the thresholds corresponds to the ‘Type of Destination’ option selected.

## METHODOLOGY AND ACCESSIBILITY INDICATORS

Our methodology for calculating accessibility indicators encompasses two main models, one for public transport routing and one for the walking, cycling and driving road routings. Each of the four applications of the models has its own characteristics and parameters to capture relevant factors affecting how people navigate the networks, but they all use Dijkstra-based algorithms to solve earliest arrival optimisation problems.

To measure public transport accessibility, we use our in-house developed model, VelociRAPTOR. The model leverages timetable network data and is specifically designed to solve the complex all-pairs routing problem, enabling detailed analysis across large network instances. The model incorporates short geodesic walks at 5 km/h to connect the origins and destinations to the public transport network and for transfers between transport services. We set upper bounds of 2 km for initial connections and 1 km for the transfers.

VelociRAPTOR efficiently processes multiple public transport modes in predetermined time windows of about two to three hours, from the search of the service to the arrival at destination. Our model allows for restricting the maximum number of transfers individuals are willing to accept in their journeys.



While such restrictions may apply to specific groups, such as older adults or children, our results for generic individuals assume an unrestricted number of transfers.

To measure walking, cycling and driving accessibility, we run MATLAB optimisation functions in parallel and over detailed road networks from TomTom MultiNet 2023. This commercial dataset contains critical and European comprehensive information for the routing, such as speed profiles and traffic restrictions for driving, and road access conditions for active modes of transport. For the latter modes, we complement existing network information with topographic information, allowing for the calculation of road segment gradients in relation to traffic flow directions.

The metrics currently available in the Dashboard are based on a generic individual profile navigating the networks. Accessibility results for primary school facilities and student destinations specifically consider the 0-15 age-group in the GISCO population at the origin. The indicators are divided into three main categories:

- (i) Number of reachable destinations within fixed travel time thresholds
- (ii) Travel time to the nearest predefined number of destinations
- (iii) Squared accessibility poverty gap and Foster-Greer-Thorbecke (FGT<sub>2</sub>) indicators

These three categories of accessibility metrics are informative for transport poverty analysis, especially when considering long travel time thresholds, i.e., thresholds greater than or equal to 40-50 minutes. The Dashboard also provides estimates for lower travel time thresholds to ensure completeness and further characterisation of results.

For the “number of reachable destinations within fixed travel time thresholds”, the choice between the available 40-50 minutes and 55-65 minutes thresholds ultimately depends on the type of destination, its heterogeneity, and the needed frequency of access by people. In the results legend, these indicators range from 0 to the maximum number of destinations reachable by driving within a travel time of 55-65 minutes. The colour scale is non-linear, transitioning to the green-blue range for values above the sufficiency threshold of accessibility specified in the legend and measured according to the methodology discussed in the previous section.

For the “travel time to the nearest predefined number of destinations”, the Dashboard displays results in predetermined 15-minute intervals up to 90 minutes, with an additional category for travel times exceeding 90 minutes. The number of service facilities that can be selected varies between 1 and 5, while in terms of service capacity (such as school students and healthcare beds) values range from 200 to 1,000 in 200-step increments. Finally, for access to opportunities, the travel times are evaluated for the nearest 1,000, 5,000, 10,000, 30,000, and 50,000 people.

“Squared accessibility poverty gap” and “FGT<sub>2</sub>” indicators measure the proportion of individuals falling below a predefined sufficiency threshold of accessibility, weighted by the extent of their accessibility deficit when traveling for 40-50 minutes using the selected mode of transport. Both indicators range from 0 to 1, where 0 indicates that everyone is above the sufficiency threshold. As more individuals fall below the threshold and experience greater accessibility deficits, the indicator approaches 1. FGT<sub>2</sub> is an average measure, whereas the “Squared accessibility poverty gap” metric can refer to other points in the distribution of aggregated results or the indicator at the grid level.

The Foster-Greer-Thorbecke (FGT<sub>2</sub>) indicator has been used in the literature (e.g., [Karner et al, 2024](#); [Giordano et al, 2025](#)) to assess the extent and severity of transport poverty. One of its key advantages is that it can be combined with socio-economic characterisations of population groups within the same region of interest. In the Dashboard, individuals are currently grouped solely by the selected geographical scope.

$$FGT_2 = \frac{1}{N} \sum_{i=1}^H \left( \frac{z - y_i}{z} \right)^2$$



Finally, some areas on the map appear grey and are labelled as “not enough data”. This can occur due to missing destination data (see Table 1) or missing public transport data (see Table 2). In a few cases, this also happens for aggregated administrative layers that lack population data at the origin, such as the northern part of Cyprus.

## SUPPORT

For suggestions on indicators to include in future releases or issues you are experiencing when using the platform, please contact [jrc-c6-tnet@ec.europa.eu](mailto:jrc-c6-tnet@ec.europa.eu)